



Certificate of Analysis

Customer Information

Client: Clear Connect Distributors LLC
Attention: sales@blissxtra.com
Address: 7074 Peachtree Industrial Boulevard
 Norcross, TX 30071

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: BlissXtra Gold Ultra Max 1.9 oz
Lot Number: L020325-1
Description: Ready-to-drink botanical infused beverage
Condition: Good
Job ID: ISO03626
Sample ID: I09419
Received: 24MAR2025
Completed: 29MAR2025
Issued: 02APR2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 28MAR2025 | 1240

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	59.3	mg/unit	0.43	N/A
7-Hydroxymitragynine	Report Results	<LOQ	mg/unit	0.43	N/A
Paynantheine	Report Results	19.6	mg/unit	0.43	N/A
Speciogynine	Report Results	11.7	mg/unit	0.43	N/A
Speciociliatine	Report Results	20.1	mg/unit	0.43	N/A
Total Mitragyna Alkaloids	Report Results	111	mg/unit	0.43	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 28MAR2025 | 1240

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.105	w/w%	0.001	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.001	N/A
Paynantheine	Report Results	0.035	w/w%	0.001	N/A
Speciogynine	Report Results	0.021	w/w%	0.001	N/A
Speciociliatine	Report Results	0.036	w/w%	0.001	N/A
Total Mitragyna Alkaloids	Report Results	0.196	w/w%	0.001	N/A

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 28MAR2025 | 1434

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.50	0.012	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.002	ug/g	0.002	PASS
Mercury	NMT 0.20	0.007	ug/g	0.002	PASS
Lead	NMT 0.50	0.004	ug/g	0.002	PASS

Microbiological Examination

Method Code: T005

Tested: 27MAR2025 | 0958

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU / g	Not Detected	CFU/g	10 CFU / g	PASS
Total Yeast and Mold	100,000 CFU / g	Not Detected	CFU/g	10 CFU / g	PASS
Total Coliforms	10,000 CFU / g	Not Detected	CFU/g	10 CFU / g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS
Salmonella	Not Detected in 25 g	Not Detected	N/A	1 CFU / 25 g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured density of 1.008 g/mL and package specified fill volume of 56.0 mL.

Revision History

Report ID: 89986ad6-4bd2-4420-a428-7eb22da504f8
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:**Name:**

Tyler West

Position:

Laboratory Director

Department:

Management

Date:

02APR2025