

Certificate of Analysis



Customer Information

Client: Clear Connect Distributors LLC
Attention: sales@blissxtra.com
Address: 7074 Peachtree Industrial Boulevard
 Norcross, TX 30071

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: KAVA + KRATOM 1.9 OZ
Lot Number: 110924-1
Description: Ready-to-drink botanical infused beverage
Condition: Good
Job ID: ISO03377
Sample ID: I08616
Received: 19FEB2025
Completed: 26FEB2025
Issued: 26FEB2025

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 26FEB2025 | 0549

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	100.0	mg/unit	0.854	N/A
7-Hydroxymitragynine	Report Results	<LOQ	mg/unit	0.228	N/A
Paynantheine	Report Results	3.71	mg/unit	0.854	N/A
Speciogynine	Report Results	2.97	mg/unit	0.854	N/A
Speciociliatine	Report Results	2.68	mg/unit	0.854	N/A
Total Mitragyna Alkaloids	Report Results	109	mg/unit	0.854	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 26FEB2025 | 0549

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.173	w/w%	0.0015	N/A
7-Hydroxymitragynine	Report Results	<LOQ	w/w%	0.0004	N/A
Paynantheine	Report Results	0.006	w/w%	0.0015	N/A
Speciogynine	Report Results	0.005	w/w%	0.0015	N/A
Speciociliatine	Report Results	0.005	w/w%	0.0015	N/A
Total Mitragyna Alkaloids	Report Results	0.189	w/w%	0.0015	N/A

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured density of 1.031 g/mL and package specified fill volume of 56.0 mL.

Revision History

rev 00 - Initial release.


Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

26FEB2025